

 <p>Namibia Civil Aviation Authority Air Navigation Service Aeronautical Information Management</p>	<h2>Daily NOTAM Bulletin</h2>	Effective Date: 15 Sep 2018
	AIM SSI -001 F -03	Version 2

AERONAUTICAL INFORMATION SERVICES

Tel: +264-61-702087/83/80
 Fax: +264-61-702088
 Telex: 50-908) 811/2 WK
 E-mail: aisc@dca.com.na
 Website: www.dca.com.na

NAMIBIA CIVIL AVIATION AUTHORITY
 Private Bag 12003
 Ausspannplatz
 Windhoek
 NAMIBIA

DAILY NOTAM BULLETIN

http://www.dca.com.na/Notam/Notam_Bulletin.pdf

Enquiries: AISO

Our Ref: NTMS 2017

16th November 2018

FYGF	A0094/18	1803330747	PERM	NO FOREIGN REGISTERED CIVILIAN ACFT ALLOWED TO LAND AT FYGF AD WITHOUT GRANTED PERMISSION FM THE MINISTRY OF DEFENCE (MOD), OFFICE OF CHIEF OF DEFENCE (CDF) PRIOR ARRANGEMENT SHOULD BE MADE FOR AUTHORIZATION AT THE FOLLOWING ADDRESS: MOD, CDF PRIVATE BAG 13307 WINDHOEK FAX 061258215
FYGF	B0101/18	1810181513	1812311500	GFV DME IS SERVICABLE ON ONE CHANNEL
FYHO	C0068/18	1805030946	PERM	PILOTS AND OPERATORS ARE ADVISED THAT UNEXPECTED WIND SHEAR AND TURBULENCE HAVE BEEN REPORTED WHEN APPROACHING RWY 18/36, ON SHORT FINAL AND DURING FLARE. DUE TO SOFT (IRREGULAR) RWY SURFACE AT HOANIB, IT IS RECOMMENDED THAT NO ACFT NOT SUITABLY EQUIPPED FOR SOFT SURFACES BE OPERATED INTO THE AIRSTRIP. PILOTS TO MAKE INQUIRIES ABOUT OPERATING CONDITIONS AT: +264 61 274 200.
FYKA	C0049/18	1803330758	PERM	NO FOREIGN REGISTERED CIVILIAN ACFT ALLOWED TO LAND AT FYKA AD WITHOUT GRANTED PERMISSION FM THE MINISTRY OF DE FENCE (MOD), OFFICE OF CHIEF OF DEFENCE (CDF) PRIOR ARRANGEMENT SHOULD BE MADE FOR AUTHORIZATION AT THE FOLLOWING ADDRESS: MOD, CDF PRIVATE BAG 13307 WINDHOEK FAX 061258215
FYKM	B0075/18	1807270600	PERM	AERODROME CONTROL TOWER (TWR) HOURS OF OPS/SERVICE ARE AS FOLLOWS: MON-FRI: 0600-1030 AND 1100-1400 SAT: CLSD SUN: 0700-1300
FYKM	B0094/18	1810062200	1901032200	ANNUAL WGS-84 SURVEY NOT CMPL. ALL AD DATA NOT VALIDATED.

1

Please Note:

It is the responsibility of the operator to routinely monitor the DCA Website for the latest NOTAM bulletin update.



Namibia Civil Aviation Authority
Air Navigation Service
Aeronautical Information
Management

Daily NOTAM Bulletin

Effective Date:
15 Sep 2018

AIM SSI -001 F -03

Version 2

FYKT	B0096/18	1810062200	1901032200	ANNUAL WGS-84 SURVEY NOT CMPL. ALL AD DATA NOT VALIDATED.
FYLZ	B0013/18	1802051512	1812311400	ATIS SERVICES ON FREQ.126.6MHZ OUT OF SERVICE DUE TO FAULTY EQUIPMENT.
FYLZ	B0091/18	1810010600	1812311400	AERODROME CONTROL TOWER (TWR) HOURS OF OPS/SERVICE MON-FRI 06000-0930 AND 1000-1400 SAT- NIL ATC SUN 0700-1300
FYLZ	B0093/18	1810062200	1901032200	ANNUAL WGS-84 SURVEY NOT CMPL. ALL AD DATA NOT VALIDATED.
FYRN	C0098/18	1806250912	PERM	NEW RHINO CAMP DIMENSIONS ARE AS FOLLOWS : COORDINATES 200211S0135035E RWY DESIGNATORS RWY09/27 DISPLACED TO A POINT OF 100M FM THE INITIAL POINT, THE FOLLOWING DECLARED DISTANCES IN METERS ARE AVBL FOR RWY09 TODA: 1400M LDA: 1300 M ,DISTANCE IN METERS FOR RWY27 TODA: 1400 LDA: 1300 FOR FURTHER INFO CONTACT 061 – 255735.
FYRU	B0095/18	1810062200	1901032200	ANNUAL WGS-84 SURVEY NOT CMPL. ALL AD DATA NOT VALIDATED.
FYOA	A0176/18	1805161355	PERM	AIRAC AIP SUP01/2018 CNL.
FYOA	A0373/18	1809201444	PERM	ONDANGWA TMA A AND TMA B AS DEPICTED IN AIP ENR2.1-8 COMPLETELY WITHDRAWN
FYOA	A0379/18	1809251437	1812292359	RWY08/26 LENGTH 2824M THR RWY08 DISPLACED BY 162M RWY08/26 WIDTH 45M RWY08/26 PCN 48/F/B/X/T TWY PCN 12/F/D/Y/U APRON PCN 12/F/D/Y/U
FYOA	B0044/18	1804260800	PERM	THR RWY 08 DISPLACED BY 163M TOTAL RWY LENGTH IS 2824M. DECLARED DISTANCE NOT DETERMINED.
FYOA	B0045/18	1804260751	PERM	RNP RWY 08 DUE DTHR BARO VNAV NOT AUTHORISED X LNAV MDA (OCH) INCREASED TO 4100(501)FT
FYOA	B0103/18	1810221310	1901232200	UNSERVICEABLE AREAS ON THE APRON MARKED WITH BARRICADES.
FYOA	B0092/18	1810050945	1901012200 EST	ANNUAL WGS-84 SURVEY NOT COMPLETED. ALL AERODROME DATA NOT VALIDATED.
FYOA	B009918	181018	PERM	NIL ATC VOICE RECORDING FAC AND RETENTION AVBL AT FYOA TWR.
FYOA	B0100/18	1810181512	1812311500	OAV DME IS SERVICABLE ON ONE CHANNEL

2

Please Note:

It is the responsibility of the operator to routinely monitor the DCA Website for the latest NOTAM bulletin update.



Namibia Civil Aviation Authority
Air Navigation Service
Aeronautical Information
Management

Daily NOTAM Bulletin

Effective Date:
15 Sep 2018

AIM SSI -001 F -03

Version 2

FYOA	B0104/18	1810251423	1901311700	NIL ATC VOICE RECORDING FAC AND RETENTION AVBL AT FYOA TWR.
FYOA	B0107/18	1810311404	PERM	ATC HOD ARE AS FOLLOWS: MON-FRI 05H00-18H00 SAT:05H00-14H00 SUN:05H00-10H00 AND 13H00-17H30.
FYOA	B0111/18	1811080400	1902082359	AERODROME HOURS OF OPS/SERVICE SUNDAY TO FRIDAY:0400 TO 1800 SATURDAY: 0400 TO 1400 AIRPORT AFTERS HOURS OPERATION REQUEST MR EN SHOOMBE CELL:+26481144163
FYOA	B0112/18	1811140000	1902012359	STS AD LICENSE ISSUED
FYOG	B0084/18	1808090345	PERM	HAND AMEND NAMIBIAN AIP FYOG AD2-11 DATED 10 NOV 2016 COMMUNICATION FAILURE PROCEDURE, REPLACE OG201 WITH OG202.
FYWB	A403/18	1810081300	1901081300	ANNUAL WGS-84 SURVEY NOT CMPL. ALL AD DATA NOT VALIDATED.
FYWB	A0411/18	1810200000	1901052359	STS AD LICENSE ISSUED.
FYWB	A0413/18	1810200601	1812311600	FYWB TWR HOURS OF OPS/SERVICE. MON-FRI 0600-1600, SAT 0700 - SUN 1500 TIME MAY CHG ON SHORT NOTICE.
FYWB	A0416/18	1810251355	1901101500	FYWB ILS/DME WBI 109.3MHZ RWY27 ON TEST.DO NOT USE FOR OPR PURPOSE.
FYWB	A0427/18	1811010924	1811301500	NIL AVGAS AVBL.
FYWB	A0435/18	1811071239	1901311700	FYWB ATIS ON FREQ 127.0MHZ OPR NORMAL, BUT ATIS ON CELLPHONE NUMBER 0813323511 BROADCAST UNSERVICEABLE
FYWE	A0342/18	1808281428	1811281500 EST	NIL CERTIFIED MET SENSORS AVAILABLE, ATS PROVIDING MET FROM UNCALIBRATED SYSTEM WHICH MAY NOT MEET ANNEX 3 REQUIREMENTS.
FYWE	A0343/18	1808281500	1811281500 EST	EROS AD MET OFFICE DOES NOT SEND A METAR AN HOUR PRIOR TO THE OPS OF THE AD.
FYWE	A0397/18	1810062200	1901032200	ANNUAL WGS-84 SURVEY NOT CMPL. ALL AD DATA NOT VALIDATED.

3

Please Note:

It is the responsibility of the operator to routinely monitor the DCA Website for the latest NOTAM bulletin update.



Namibia Civil Aviation Authority
Air Navigation Service
Aeronautical Information
Management

Daily NOTAM Bulletin

Effective Date:
15 Sep 2018

AIM SSI -001 F -03

Version 2

FYWE	A0390/18	1809282200	1812282200	ABN OUT OF SERVICE
FYWE	A0449/18	1811170500	1811171500	CAPTIVE HELIUM BALLOON OPERATING 1.9NM SE FYWE COORDINATES 223540.06S0170324.10E. BALLON HEIGHT 280 FT AGL
FYWE	A0451/18	1811170600	1811251500	DAILY 0600-1500 MOVEMENT AREA WIP CRACK SEALING ON RWY AND TWY
FYWE	A0452/18	1811170600	1811251500	DAILY 0600-1500 WIP ON THE EDGE OF RWY01/19 GRASS CUTTING
FYWH	A0136/18	1804241623	PERM	HAND AMEND NAMIBIAN AIP, FYWH AD 2.11 METEOROLOGICAL INFORMATION PROVIDED. 2. MET HRS OF OPS/SERVICE ARE AS FOLLOWS: FORECAST H24 ASSISTANT MET TECHNICIAN 04H00-18H00 CONTACT DETAILS +264 62 540059 AND +264 62 540327.
FYWH	A0249/18	1807121030	PERM	DUE MISALIGNMENT WITH NAMCAR 91.06.33 HAND AMEND NAMIBIA AIP ENR 1.1 GENERAL RULES 1.1.B) DELETE FOLLOWING TEXT "UNLESS THE FLIGHT CAN BE MADE WITHOUT HAZARD OR NUISANCE TO PERSONS OR PROPERTY ON THE GROUND OR WATER".
FYWH	A0434/18	1811071222	1902072359	HRS OF SERVICE FOR HOSEA KUTAKO INTL. AIRPORT ARE AS FOLLOWS: MONDAY 02H00-20H30 TUESDAY 02H00-20H30 WEDNESDAY 02H30-20H30 THURSDAY 02H00-20H30 FRIDAY 02H30-20H30 SATURDAY 02H00-20H30 SUNDAY 02H30-20H30
FYWH	A0281/18	1807241240	PERM	AIC SERIES A04/18 CNL
FYWH	A0341/18	1808281425	1811281500 EST	ALL CERTIFIED MET SENSORS FAILED, ATS PROVIDING MET FROM UNCALIBRATED SYSTEM WHICH MAY NOT MEET ANNEX 3 REQUIREMENTS.
FYWH	A0346/18	1808312359	1811300400	D) DAILY 2359-0400 THE APRON MARKINGS AT FYWH ARE NOT COMMENSURATED TO TRAFFIC THAT FYWH INTENDS TO SERVE, THEREFORE APRON MARKINGS MUST BE DISREGARDED AND THE PILOTS MUST FOLLOW THE MARSHALERS SIGNALS.
FYWH	A0417/18	1810251356	1901101500	FYWH ILS/DME WD 110.3MHZ RWY26 ON TEST. DO

4

Please Note:

It is the responsibility of the operator to routinely monitor the DCA Website for the
latest NOTAM bulletin update.



Namibia Civil Aviation Authority
Air Navigation Service
Aeronautical Information
Management

Daily NOTAM Bulletin

Effective Date:
15 Sep 2018

AIM SSI -001 F -03

Version 2

				NOT USE FOR OPR PURPOSE.
FYWH FIR	A0444/18	1811120600	1812311700	<p>HELIUM BALLOON WILL BE HOISTED AT NAMWATER HEAD OFFICE IN NORTHERN INDUSTRY.</p> <p>COORDINATES: 223149S0170437E ELEVATION: 1629</p> <p>GROUND TO 300 FEET AGL</p>
FYWH FIR	A0345/18	1808302000	1811282359	<p>FYWH STS OF AD CERTIFICATION ISSUED 30 AUG 2018 WITH CONDITIONS-VALIDITY PERIOD UNTIL 28 NOV 2018.</p> <p>CERTIFICATION ISSUED PENDING RESOLUTION OF SAFETY AND SECURITY OPR FINDINGS TO INCLUDE AT MINIMUM:</p> <ol style="list-style-type: none"> 1. MIXING OF INTL AND DOM PAX 2. MIXING OF SECURITY SCREENED AND UNSCREENED PERSONS 3. NON-SIMULTANEOUS MOVEMENT OF ACFT BTN TWY AND TWY 4. POSITIONING OF GA AND COMM APN INCL PRKG, LOADING AND UNLOADING AREAS 5. SECURITY SCREENING CHECKPOINT CONGESTION.
FYWH	A0324/18	1808170430	1811201700	<p>DAILY 0430-1700 APPROACH CONTROL TRAINING TAKING PLACE IN FYWH TMA ON FREQ120.5MHZ.</p>
FYWH FIR	A0344/18	1808301207	PERM	AIP SUP S03/18 CNL.
FYWH FIR	A0375/18	1809201815	PERM	<p>HAND AMEND AIP FYOA AD 2-9 FYOA AD 2.17 ATS AIRSPACE POINT 6 REMAKS DELETE WORDS COMBINED WITH APP.</p> <p>FYOA AD 2.18 ATS COMMUNICATION FACILITIES DELETE IN TOTO FOURTH LINE BEGINNING WITH APPROACH.</p>
FYWH FIR	A0363/18	1809151000	PERM	<p>HAND AMEND NAMIBIAN AIP ENR 4.4 NAME CODE DESIGNATOR ATUPI COORDINATOR TO READ 231013.74S0170755.40E</p>
FYWH FIR	A0368/18	1809171400	PERM	<p>HAND AMEND NAMIBIA AIP SUP S08/18 PARAGRAPH 5 (A)TRANSPONDER MANDATORY ZONE FIRST SENTENCE TO READ X TRANSPONDER MANDATORY ZONES ARE ESTABLISHED DURING THE GLIDING SEASON TO ENSURE GREATER AWARENESS OF GLIDER TRAFFIC IN AREAS THAT MAY HAVE HIGH DENSITY IFR</p>

5

Please Note:

It is the responsibility of the operator to routinely monitor the DCA Website for the latest NOTAM bulletin update.



Namibia Civil Aviation Authority
Air Navigation Service
Aeronautical Information
Management

Daily NOTAM Bulletin

Effective Date:
15 Sep 2018

AIM SSI -001 F -03

Version 2

				TRAFFIC OPERATIONS.
FYWH FIR	A0419/18	1810260600	1901251600	RPAS ACT 3NM SE OF FYAR IN THE ROSSING MINE PIT AS DEFINED BY THE COORD: 222838.96S150503.98E 222735.80S150404.24E 222855.52S150157.17E TO 223005.08S150252.01E F) GND G) 2000FT AMSL
FYWH FIR	A0420/18	1810261434	PERM	HAND AMEND AIP AD FYLZ AD 2-6 FYLZ AD 2.17 ATS AIRSPACE 1. DESIGNATION AND LATERAL LIMITS AMEND ATZ TO CTR
FYWH FIR	A0430/18	1811021054	1812311500	VOLMET ON FREQUENCY 126.8MHZ U/S.
FYWH FIR	A0438/18	1811080001	1811212359	TRIGGER NOTAM: PERM AIRAC AIP AMDT 03/2018 SCHEDULE OF AIRAC EFFECTIVE DATES:2018-2024
FYWH FIR	A0439/18	1811080001	1811212359	TRIGGER NOTAM: PERM AIRAC AIP SUP 09/2018 AMEND AIP GEN4.2 AIR NAVIGATION SERVICES CHARGES.
FYWH FIR	A0440/18	1811080001	1811212359	TRIGGER NOTAM: PERM AIRAC AIP SUP 08/2018 AMENDED GLIDING AIRSPACE BITTERWASSER, POKWENI, KIRIKOTIP AND VERONICA.
FYWH FIR	A0441/18	1811080001	1811212359	TRIGGER NOTAM: PERM AIRAC AIP SUP 07/2018. REPLACING VOR IDENTIFIERS AND 4 LETTER LOCATION INDICATORS WITH 5LNC IN RNAV 5 AND ATS ROUTES.
FYWH FIR	A0448/18	1811151900	1811152100	SURVEILLANCE SERVICES NOT AVBL
FYWH FIR	A0450/18	1811160703	1902142359	W.I.E ALL FLIGHTS TRANSITING FYWH FIR ABOVE FL245 RESTRICTED TO PUBLISHED ROUTES. FLIGHTS PLANNED VIA UN186/UT943 NORTH BOUND ARE REQUIRED TO CHANGE FROM ODD TO EVEN FLIGHT LEVELS AND ARE TO INDICATE EVENS FLIGHT LEVEL REQUIRED FROM POSITION ATUPI TO ACCOMMODATE TRAFFIC FLOW NORTH OF WINDHOEK FIR. SOUTH BOUND TRAFFIC TO ANTICIPATE FLIGHT LEVEL CHANGE FROM ADDS TO EVEN FLIGHT LEVELS AT VEDRY(WHV)
FYWH FIR	A0453/18	1811160927	PERM	HAND AMEND AIP ENR 6.1-1 ROUTE UN185 UN183 FROM DUTPU TO EGRED SHOULD READ UN185

6

Please Note:

It is the responsibility of the operator to routinely monitor the DCA Website for the latest NOTAM bulletin update.



Namibia Civil Aviation Authority
Air Navigation Service
Aeronautical Information
Management

Daily NOTAM Bulletin

Effective Date:
15 Sep 2018

AIM SSI -001 F -03

Version 2

FYWH FIR	C0162/18	1810091522	PERM	HAND AMEND NAMIBIAN AIP FYSM AD 2.23 PARA 1.4 A PERM DROP ZONE HAS BEEN DECLARED AT CHINA TOWN 223350S0143434E 6NM NORTH OF SWAKOPMUND. DLY SKYDIVING ACTIVITIES TAKING PLACE DLY BTN SR AND SS. PARACHUTE ACFT WILL OPERATE ON 126.3MHZ AND 122.5MHZ F) GND G) FL115
FYWH FIR	C0190/18	1811161000	1811161300	BLASTING WILL TAKE PLACE AT B2GOLD OTJIKOTO MINE DEFINED BY THE FOLLOWING COORDINATES: 195920.53457S0170727.42679E F) GND G) UNL
FYWH FIR	A0454/18	1811161352	1811161700	FLIGHT INFORMATION ON FREQ 123.8MHZ AND 129.6MHZ UNMANNED DUE TO STAFF SHORTAGE. TRAFFIC TO BROADCAST TIBA AND CONTACT RADAR ON 124.7MHZ FROM GND TO FL145.

7

Please Note:

It is the responsibility of the operator to routinely monitor the DCA Website for the latest NOTAM bulletin update.